Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: THALATTA OIL & GREASE REMOVER
UFI:
7EPR-R0F4-V00A-6CWK
The product does not contain any nanomaterials.
1.2 Relevant identified uses of the substance or mixture and uses advised against
Powerful degreaser. Cleans rapidly grease, oil and tar marks on topcoat and paint. Suitable for oil and grease removal from machinery parts, decks etc.
Life cycle stages
IS Use at industrial Sites
PW Widespread use by professional workers
C Consumer use
Sector of Use
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU21 Consumer uses: Private households / general public / consumers
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
Product category PC35 Washing and cleaning products (including solvent based products)
Technical function Cleaning agent
Application of the substance / the mixture
Fat/ Grease solvent
Degreaser
Degreasing agent
Uses advised against Not for personal use in this form or concentration

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
VIORYL S.A.
28th km Athens - Lamia Nat. Road
Afidnes, 190 14
Greece
+30 22950 45100
regulatory@vioryl.gr

Further information obtainable from: Regulatory Affairs Department
1.4 Emergency telephone number:
Poison centre
(+30) 210 7793777

* SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008


GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.


GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 1)



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Additional information: The full text of the classification and labelling elements mentioned is given in Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS06 GHS08

Signal word Danger

Hazard-determining components of labelling:

2-butoxyethanol

Naphtha (petroleum), hydrotreated heavy

Hazard statements

H226 Flammable liquid and vapour.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 2)

vPvB: Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy >50–≤100%
EINECS: 265-150-3 Asp. Tox. 1, H304

CAS: 111-76-2 2-butoxyethanol >25–≤50%
EINECS: 203-905-0 Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319
ATE: LD50 oral: 1200 mg/kg
LC50/4 h inhalative: 3 mg/l

CAS: 34590-94-8 Dipropylene glycol monomethyl ether (dowanol DPM) >2.5–≤10%
EINECS: 252-104-2 substance with a Community workplace exposure limit

CAS: 160875-66-1 Propoxylated ethoxylate >2.5–<10%
Eye Irrit. 2, H319

Additional information: For the wording of the listed hazard phrases refer to section 16.

*
SECTION 4: First aid measures

4.1 Description of first aid measures
General information:
Immediately remove any clothing soiled by the product.
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
Take affected persons out into the fresh air.
After inhalation:
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:
If symptoms persist consult doctor.
A person vomiting while laying on their back should be turned onto their side.
Seek immediate medical advice.
4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For safety reasons unsuitable extinguishing agents: Water with full jet
5.2 Special hazards arising from the substance or mixture No further relevant information available.
5.3 Advice for firefighters
Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.
Wear protective clothing.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Keep receptacles tightly sealed.
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions:
Keep container tightly sealed.
Store receptacle in a well ventilated area.
7.3 Specific end use(s) No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Ingredients with limit values that require monitoring at the workplace:
CAS: 111-76-2 2-butoxyethanol
TWA (Greece) Long-term value: 120 mg/m³, 25 ppm
Δ
CAS: 34590-94-8 Dipropylene glycol monomethyl ether (dowanol DPM)
TWA (Greece) Short-term value: 900 mg/m³, 150 ppm
Long-term value: 600 mg/m³, 100 ppm
Δ

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 4)

Ingredients with biological limit values:

CAS: 111-76-2 2-butoxyethanol

BEI (Greece) 200 mg/g κρεατινίνης
ούρα
Τέλος βάρδιας
Βουτοξυοξικό οξύ (BAA)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

*

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	colourless to pale yellow
Odour:	Characteristic
Odour threshold:	Not determined
Melting point/freezing point:	Undetermined

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 5)

Boiling point or initial boiling point and boiling range	>100 °C (CAS: 160875-66-1 Propoxylated ethoxylate)
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	0.6 Vol % (CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy)
Upper:	10.6 Vol % (CAS: 111-76-2 2-butoxyethanol)
Flash point:	55.6 °C
Auto-ignition temperature:	>100 °C (CAS: 160875-66-1 Propoxylated ethoxylate)
Decomposition temperature:	Not determined
pH	Not determined
Viscosity:	
Kinematic viscosity	Not determined
Dynamic:	Not determined
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure at 20 °C:	1.2 hPa (CAS: 111-76-2 2-butoxyethanol)
Vapour pressure at 50 °C:	5.3 hPa
Density and/or relative density	
Density at 20°C at 20 °C	0.815–0.855 g/cm³
Density at 25°C	Not determined
Relative density	Not determined
Vapour density	Not determined

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined
Solvent content:	
Organic solvents:	35.0 %
VOC (EC)	35.00 %
VOCV (CH)	35.00 %
Solids content:	0.0 %
Refractive index	1.427-1.437
Change in condition	
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 6)

Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions No dangerous reactions known.
10.4 Conditions to avoid No further relevant information available.
10.5 Incompatible materials: No further relevant information available.
10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Toxic if inhaled.
LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	4000 mg/kg (ATE)
Inhalative	LC50/4 h	10 mg/l (ATE)

CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)

CAS: 111-76-2 2-butoxyethanol

Oral	LD50	1200 mg/kg (ATE)
		1480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)

CAS: 34590-94-8 Dipropylene glycol monomethyl ether (dowanol DPM)

Oral	LD50	5135 mg/kg (rat)
Dermal	LD50	>19000 mg/kg (rab)

Primary irritant effect:
Skin corrosion/irritation Causes skin irritation.
Serious eye damage/irritation Causes serious eye irritation.
Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
Germ cell mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met.
Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met.
Aspiration hazard May be fatal if swallowed and enters airways.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 7)

11.2 Information on other hazards
Endocrine disrupting properties

None of the ingredients is listed.

*
SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability No further relevant information available.
Method
Analysing method

THALATTA OIL & GREASE REMOVER OECD 301 F
Other information: The product is 66% biodegradable (legal threshold ≥60%). OECD Method 301F
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.
12.5 Results of PBT and vPvB assessment
PBT: Not applicable
vPvB: Not applicable
12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects
Additional ecological information:
General notes:
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
European waste catalogue

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

HP6 Acute Toxicity

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA	UN1992

14.2 UN proper shipping name

ADR	1992 FLAMMABLE LIQUID, TOXIC, N.O.S.
IMDG	FLAMMABLE LIQUID, TOXIC, N.O.S.
IATA	Flammable liquid, toxic, n.o.s.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 8)

14.3 Transport hazard class(es)

ADR



Class	3 Flammable liquids.
Label	3+6.1

IMDG



Class	3 Flammable liquids.
Label	3/6.1

IATA



Class	3 Flammable liquids.
Label	3 (6.1)
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	36
EMS Number:	F-E,S-D
Stowage Category	A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable

Transport/Additional information:

ADR

Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E

IMDG

Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. 3 (6.1), III

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 9)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU
Named dangerous substances - ANNEX I None of the ingredients is listed.
Seveso category
H2 ACUTE TOXIC
P5c FLAMMABLE LIQUIDS
Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.
REGULATION (EU) 2019/1148
Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.
Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.
Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.
Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.

Department issuing SDS: Regulatory Affairs department
Contact:
Regulatory Affairs department
regulatory@vioryl.gr
Date of previous version: 18.04.2024
Version number of previous version: 6
Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.10.2026 Version number 7 (replaces version 6) Revision: 14.10.2026

Trade name: THALATTA OIL & GREASE REMOVER

(Contd. of page 10)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1

*** Data compared to the previous version altered.**