Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: THALATTA TEAK & DECKING OIL
UFI:
DK50-63VP-W00E-MW3C
The product does not contain any nanomaterials.
1.2 Relevant identified uses of the substance or mixture and uses advised against
Teak & Decking Oil. Provides high penetration, protects and treats wooden surfaces. Easily absorbed, it replaces the natural oils and resins that wood loses over time. Ideal for the care of decks and decorative woods on boats, it is also suitable for garden furniture made of hard woods such as teak, oak, rosewood.
Life cycle stages
PW Widespread use by professional workers
C Consumer use
IS Use at industrial Sites
Sector of Use
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU21 Consumer uses: Private households / general public / consumers
Product category
PC31 Polishes and wax blends
PC15 Non-metal-surface treatment products
Application of the substance / the mixture Wood treatment
Uses advised against Not for personal use in this form or concentration

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
VIORYL S.A.
28th km Athens - Lamia Nat. Road
Afidnes, 190 14
Greece
+30 22950 45100
regulatory@vioryl.gr

Further information obtainable from: Regulatory Affairs Department
1.4 Emergency telephone number:
Poison centre
(+30) 210 7793777

* SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
Additional information: The full text of the classification and labelling elements mentioned is given in Section 16.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

Trade name: THALATTA TEAK & DECKING OIL

(Contd. of page 1)

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labelling:
Naphtha (petroleum), hydrotreated heavy
White mineral oil, petroleum
Hazard statements
H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.
Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional information:
EUH208 Contains Cedarwood oil, Texas. May produce an allergic reaction.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable
vPvB: Not applicable

*
SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy >25–≤50%
EINECS: 265-150-3 Asp. Tox. 1, H304

CAS: 8042-47-5 White mineral oil, petroleum >10–≤25%
EINECS: 232-455-8 Asp. Tox. 1, H304

CAS: 68990-83-0 Cedarwood oil, Texas ≥0.25–<1%
EINECS: 294-461-7 Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Irrit. 2, H315; Skin Sens. 1B, H317

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information:
Immediately remove any clothing soiled by the product.
Take affected persons out into the fresh air.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

Trade name: THALATTA TEAK & DECKING OIL

(Contd. of page 2)

After inhalation:
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
After swallowing:
If symptoms persist consult doctor.
A person vomiting while laying on their back should be turned onto their side.
Seek immediate medical advice.
4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
5.2 Special hazards arising from the substance or mixture No further relevant information available.
5.3 Advice for firefighters
Protective equipment: No special measures required.

*

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation
Keep away from ignition sources.
Wear protective clothing.
6.2 Environmental precautions:
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Keep receptacles tightly sealed.
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

Trade name: THALATTA TEAK & DECKING OIL

(Contd. of page 3)

Further information about storage conditions:
Keep container tightly sealed.
Store receptacle in a well ventilated area.
7.3 Specific end use(s) No further relevant information available.

* SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Ingredients with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls
Appropriate engineering controls No further data; see section 7.
Individual protection measures, such as personal protective equipment
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Respiratory protection: Not required
Hand protection
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye/face protection Goggles recommended during refilling

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties
General Information

Physical state	Liquid
Colour:	Yellow-brown
Odour:	Characteristic
Odour threshold:	Not determined
Melting point/freezing point:	Undetermined
Boiling point or initial boiling point and boiling range	180 °C (CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy)
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	0.6 Vol % (CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy)
Upper:	7 Vol % (CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy)
Flash point:	>65.6 °C
Auto-ignition temperature:	240 °C (CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy)
Decomposition temperature:	Not determined
pH	Mixture is non-polar/aprotic.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

Trade name: THALATTA TEAK & DECKING OIL

(Contd. of page 4)

Viscosity:	
Kinematic viscosity	Not determined
Dynamic:	Not determined
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure at 20 °C:	1 hPa (CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy)
Density and/or relative density	
Density at 20°C at 20 °C	0.82–0.86 g/cm³
Density at 25°C	Not determined
Relative density	Not determined
Vapour density	Not determined

9.2 Other information

Appearance:	
Form:	slightly turbid, oily
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	0.00 %
VOCV (CH)	0.00 %
Solids content:	0.0 %
Refractive index	1.447-1.457
Change in condition	
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

Trade name: THALATTA TEAK & DECKING OIL

(Contd. of page 5)

10.2 Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions No dangerous reactions known.
10.4 Conditions to avoid No further relevant information available.
10.5 Incompatible materials: No further relevant information available.
10.6 Hazardous decomposition products: No dangerous decomposition products known.

*
SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.
LD/LC50 values relevant for classification:

CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >3000 mg/kg (rab)
Primary irritant effect:
Skin corrosion/irritation Based on available data, the classification criteria are not met.
Serious eye damage/irritation Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
Germ cell mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met.
Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met.
Aspiration hazard May be fatal if swallowed and enters airways.
11.2 Information on other hazards
Endocrine disrupting properties

None of the ingredients is listed.

*
SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability No further relevant information available.
Method
Analysing method

THALATTA TEAK & DECKING OIL OECD 301 F
Other information: The product is 70.9% biodegradable (legal threshold ≥60%). OECD Method 301F
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.
12.5 Results of PBT and vPvB assessment
PBT: Not applicable
vPvB: Not applicable
12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects
Remark: Harmful to fish
Additional ecological information:
General notes:
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

Trade name: THALATTA TEAK & DECKING OIL

(Contd. of page 6)

Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
European waste catalogue

HP14 Ecotoxic

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number	
ADR, IMDG, IATA	not regulated
14.2 UN proper shipping name	
ADR, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	not regulated
14.4 Packing group	
ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user	Not applicable
14.7 Maritime transport in bulk according to IMO instruments	Not applicable
UN "Model Regulation":	not regulated

*

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU
Named dangerous substances - ANNEX I None of the ingredients is listed.
REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.
REGULATION (EU) 2019/1148
Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.
Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.
Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.
Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.10.2026 Version number 6 (replaces version 5) Revision: 22.10.2026

Trade name: THALATTA TEAK & DECKING OIL

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: Regulatory Affairs department
Contact:
Regulatory Affairs department
regulatory@vioryl.gr
Date of previous version: 14.10.2026
Version number of previous version: 5
Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Skin Sens. 1B: Skin sensitisation – Category 1B
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
*** Data compared to the previous version altered.**